

Interior Products

Architectural Interior Solutions
from Quality Nordic Wood



Real wood Real atmosphere

For interiors where material matters

COMBIWOOD



Interior Collection

This brochure showcases a selection of architectural interior wood products manufactured by Vindor OÜ - part of Combiwood Group.

Each product is made from carefully selected, locally sourced pine - slow-grown, stable and full of character. Our focus lies in durable materials, thoughtful design and timeless Nordic simplicity.


It's not just about wood, it's about what it makes possible.

**Better spaces.
Smarter choices.**

Contents

PRODUCT: NORDIC PANEL 15X215X3570
DRIFTWOOD | PROJECT: VINTERRO BY
VESLEFRIKK EIENDOM

About the Group	5
Environment & Certificates	6
Door Frames	8
Scandinavian Frames	10
Western European Frames	11
Other Frames	11
Frame Extensions	12
Wall and Ceiling Panels	14
Nordic Panel	16
Pure Panel	17
MDF Panel	18
Hobby Panel	20
Tailored Wooden Profiles	24



From the forest
to finished product

Everything happens within one group, from raw timber to interior solutions

At Combiwood Group, we bring together a network of woodworking companies under one roof. From responsible wood sourcing and sawmilling to component manufacturing and interior solutions, we ensure quality, traceability and efficiency throughout the entire process.

10 factories

based in Estonia

20+ years



of experience in the field

Vertically integrated

Our operations span the full wood value chain. By working as an unified system and sharing expertise across companies, we achieve results that meet the demands of clients across the globe.

Built on trust and flexibility


We believe in lasting partnerships and a flexible way of working, allowing us to deliver tailored, high-quality results that bring ideas to life.



We know where our wood comes from

All the raw material we use, is sourced and processed within our own group. This allows us to ensure traceability, quality and sustainability across every step of the manufacturing process.

Our timber is FSC® and PEFC certified, meaning it originates from responsibly managed forests that meet strict environmental, social and economic standards. We primarily work with local pine, minimize production waste and maintain durability standards.



90% of the wood we use in our production is **locally sourced pine**

Certifications / Trusted labels

Programme for the Endorsement of Forest Certification

PEFC certification guarantees that wood is sourced from sustainably managed forests. It supports small forest owners and promotes transparent, responsible forest management.



Forest Stewardship Council®

The FSC® certification confirms that our wood comes from responsibly managed forests. It ensures environmental protection, social responsibility and sustainable economic practices throughout the supply chain.



SP Certificate

The SP Certificate, issued by RISE (Research Institutes of Sweden), confirms that our products meet high Nordic standards for performance, safety and durability. It reflects compliance with rigorous testing and quality assurance procedures, particularly in construction and building materials.



Environmental Product Declaration

The EPD certificate confirms that our products have undergone a verified life cycle assessment. It provides transparent data on environmental impact, helping clients make responsible and sustainable choices.



Zero Waste



As a group, we are committed to using every part of the log. Our production is designed for maximum efficiency and minimum waste: the bark is used for mulch and to heat our facilities, while the sawing process produces both quality timber and by-products like chips and sawdust, which go to the paper and pellet industries. Every part of the log becomes a product - nothing is left unused.

DOOR FRAMES

PRODUCT: DOOR FRAME,
NORWAY I BLACK NCS 8500N

PRODUCT: ARCHITRAVE
BLACK NCS 8500N

Door Frames

100% natural wood 

Wooden door frames for the retail and industrial sectors are available in standard profiles, offering a wide range of finishes including natural, primed or painted with custom colours. Delivered semi-ready or ready-to-install for easy assembly.

 Please see regional options for further details on availability



1. Choose the frame

MATERIAL



Knot-free,
Fresh knotted
or Solid Pine

PROFILE



Standard or
Custom
Region Based

FINISHING



 NSC & RAL COLOUR
OPTIONS AVAILABLE

2. Add the accessories

ACCESSORIES



Hinges
Snap-in



Thresholds
Oak/Beech



Seals
Region Based



Architraves
and Extensions

3. Customise the packaging

PACKAGING




Shrink Wrap
or Carton Box



Branding
Labels/Stickers

Region Based Profiles / Scandinavia






Technical information / Scandinavia



Material	Pinewood, Finger-Jointed / Laminated
Quality Grades	Fresh Knotted, Knot-Free + Sealing Strip
Dimensions	Profiles: Region and Module Based Project Based Customisation
Finishing options	<ul style="list-style-type: none"> • CNC Manufactured, Fittings Included • Natural, Primed or Painted (NCS and RAL Colors) • Ready-to-Install
Packaging options	Set in Shrink Wrap or Carton Box
Certifications	FSC, PEFC, EPD
Accessories	<ul style="list-style-type: none"> • Hinges • Seals • Thresholds (pine/oak) • Mouldings • Frame Extensions



Region Based Profiles / Western and Central Europe

Door Frames / France 	Door Frames / Netherlands 	Door Frames / UK 	Door Frames / Other 
Standard size:	Standard size:	Standard size:	Custom Frames:
 54 mm 88mm	 56/90 mm 56x115 mm	 27 mm 132 mm	Tailored profiles for any specification. More information: sales@vindor.ee

Technical information / Western and Central Europe



Material	Pine- or Sprucewood, Finger-Jointed / Laminated
Quality Grades	Fresh Knotted, Knot-Free + Sealing Strip
Dimensions	Profiles: Region and Module Based Project Based Customisation
Finishing options	<ul style="list-style-type: none"> • Natural, Primed or Painted (NCS and RAL Colors) • CNC Manufactured, Fittings Included (excluding regions: UK, France)
Packaging options	Set in Shrink Wrap or Carton Box (UK Shrink Wrap only)
Certifications	FSC, PEFC, EPD
Accessories	<ul style="list-style-type: none"> • Mouldings and Frame Extensions



FRAME EXTENSIONS

PRODUCT: DOOR FRAME
EXTENSION, WHITE




Frame Extensions

for door and window applications

Our frame extensions are made from knot-free pine, ensuring a strong and reliable finish for any interior. Frame extensions are perfect for both door and window applications.


MDF option is also available for areas requiring enhanced moisture resistance. All extensions come in various dimensions and finishes.




1. Pick the material



2. Choose the finishing



3. Customise the packaging



WALL AND CEILING PANELS



PRODUCT: NORDIC PANEL
15X215X3570 DRIFTWOOD

Wall and Ceiling Panels


bring your spaces to life

Combiwood's collection of high-quality wooden wall and ceiling panels, crafted from beautiful and versatile pinewood. Offering a touch of natural warmth and timeless appeal, our wooden panels are available in various grades and finishes to enhance any residential or commercial design project.

PRODUCT: NORDIC PANEL 15X215X3570
IN SEVERAL SHADES




1. Pick the material



2. Choose the finishing



3. Customise the packaging



Nordic Panel / stained

Our newest **NORDIC** collection adds warmth and character to any interior space. With its clean lines and natural surface, it suits both modern and traditional interiors.

The panels are made from solid pine and treated with a range of subtle stains that highlight the wood's natural beauty. Easy to install. A stylish solution for walls, ceilings and other indoor surfaces.

DIMENSIONS



* Effective covering 197mm

NORDIC PANEL



MATERIALS

Solid, Edge-glued
(D3) Pine

STANDARD

15 x 215 x 2670 mm
15 x 215 x 4470 mm

Effective covering
width 197mm

FINISHES

Treated with stain
*Custom staining available

LASER WHITE

STONE GRAY

CHARCOAL BLACK

DRIFTWOOD



PURE PANEL

**Pure Panel** / natural, primed or painted

PURE is a collection of clean, ready-to-install wall panels available in three profiles: **Faspanel**, **Sprekk** and **Skygge**. With a choice of smooth surfaces, shadow lines or V-grooves, bringing a timeless and refined look to the space.

MATERIALS

Knot-Free Finger-Jointed Pinewood

STANDARD

13x120x4850 mm

Effective covering width 102 mm

FINISHES

Natural, Primed or Painted

*Custom colours available

FASPANEL**SPREKK****SKYGGE****DIMENSIONS**

FASPANEL: 120 mm



SPREKK: 120 mm




SKYGGE: 120 mm



MDF Panel / primed or painted

This MDF panel offers a practical and stylish solution for moisture-prone interior applications.

Made from high-density MDF (Medium Density Fibreboard) with specialised resins to minimise moisture absorption. Ideal for bathrooms, kitchens, utility rooms and commercial interiors.

MR MDF PANEL**DIMENSIONS****MATERIALS**

Moisture Resistant
MDF

STANDARD

10x145x2415 mm
10x145x4200 mm

Effective covering
width 138 mm

FINISHES

Primed or Painted
NCS S0502Y





PRODUCT: STAINED PANEL
13X120X4850 CUSTOM



Hobby Panel

for custom furniture and
DIY projects

Hobby panels are made from knot-free, edge-glued pine and factory-finished for easy, versatile use in interior projects.

Primed on four sides and painted on three, these ready-to-use panels are available in multiple widths and two standard colours — classic white (NCS S0502Y) and deep grey (NCS S8500N).

DIMENSIONS

200-600mm




18 mm

STANDARD SIZES

18 x 200 x 2400 mm
18 x 250 x 2400 mm
18 x 300 x 2400 mm

18 x 400 x 2400 mm
18 x 500 x 2400 mm
18 x 600 x 2400 mm


DEEP GREY (NSC S8500N)




CLASSIC WHITE (NSC S0502Y)




1. Pick the material



2. Choose the finishing



3. Customise the packaging



PRODUCT: NORDIC PANEL
15X215X3570 DRIFTWOOD





New project in mind?

No worries, we got you! Contact: sales@vindor.ee




Tailored Wooden Profiles

DIY and industrial solutions

Our profiled and primed components are designed for manufacturers and professional builders seeking high-quality materials.

Components are delivered pre-machined and finished to reduce processing time and ensure consistency throughout the supply chain.

Available in solid and finger-jointed softwood, as well as moisture-resistant or standard MDF, these components are suited for further finishing or direct installation — depending on project needs.



Components / profiled or primed

Custom wood components are available in multiple readiness levels, including raw profiled, CNC processed, primed, or fully finished, ensuring smooth integration into any production workflow.

Every aspect of the product can be customised to suit specific manufacturing or architectural requirements. This includes material, profile, dimensions, coating system and the desired level of readiness.

MATERIALS

Finger-Jointed Edge-Glued Pine

READINESS LEVELS

Profiled only
CNC Ready
CNC Ready + Primed
CNC Ready + Primed + Painted

FINISHING OPTIONS

Primed
Painted
Optional treatments (available on request)

PROFILED




CNC READY



CNC READY + PRIMED



CNC READY + PRIMED + PAINTED



Staircase details / profiled or primed

High quality staircase components tailored for both large-scale production and bespoke architectural projects. All elements are engineered for strength, dimensional accuracy and ease of integration into existing systems.

Available in a range of sizes and profiles, components can be delivered unfinished, primed or fully coated — depending on customer's needs.

MATERIALS

Finger-Jointed Edge-Glued Pine

COMPONENT TYPES

Treads
Risers
Stringers
Edge trims & nosings

FINISHING OPTIONS

Supplied natural, primed or painted



NSC & RAL COLOUR OPTIONS AVAILABLE

Customise your product

1. START WITH THE MATERIALS

MATERIAL

Solid softwood
pine or spruce

Finger-jointed softwood
pine or spruce

MDF
standard or moisture
resistant

2. SELECT THE PROFILE

PROFILE

Existing profiles
or samples

Complex shapes
available upon request

3. DEFINE DIMENSIONS

DIMENSIONS

**Width, thickness
and length**
according to specifications

Adjustments
for specific production

6. DEFINE EDGE TREATMENT

EDGE TREATMENT

**Sharp, rounded or
bevelled**
**Chamfers, radiiuses,
grooves etc.**

5. SPECIFY CNC DETAILING

CNC DETAILING

Slotting
Tenons
Holes
Other detailing

4. CHOOSE READINESS

READINESS

Raw profiled
CNC ready
CNC ready + primed
**CNC ready + primed
+ painted**

7. CHOOSE SURFACE SANDING

SANDING

Fine sanding
before or after priming
Pre-finished for
immediate installation

8. PRIMING OR PAINTING (OPTIONAL)

FINISHING

Priming: Acid-catalysed
primer or water-based
primer
Painting: RAL or NCS
colours

9. FINALISE WITH PACKAGING

PACKAGING

Custom barcodes
Bundle labelling
Project-specific
Shrink-wrapping or
palletised delivery



Sales Contact

Email: sales@vindor.ee
Phone: +372 5364 8060

VINDOR OÜ

Koogimäe tee 7, 79005,
Kehtna vald, Raplamaa, Estonia



ABOUT THE
FACTORY